

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 4907

2013 Nissan NVP 3500 V8



2013 Nissan NVP 3500 V8 S (65313)

CLASS 4907

VAN PASSENGER 12-SEATER FULLSIZE

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION	
Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
STANDARD EQUIPMENT	
Mechanical	2
Exterior	10
Entertainment	2
Interior	2
Safety	2
WARRANTY INFORMATION	
Warranty Information	4
TECHNICAL SPECIFICATIONS	
Chassis	5
Vehicle	7
Powertrain	7
Dimensions	8
Exterior	10

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 421, current as of 12/17/2013 at 19:34 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
65313	2013 Nissan NVP 3500 V8 S

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
50S	[C03] 50 STATE EMISSIONS
—	STANDARD PAINT
K	CHARCOAL, CLOTH SEAT TRIM
PW1	[P01] PWR BASIC PKG, -inc: pwr front windows w/driver-side one-touch auto down, pwr door locks w/auto-lock, remote keyless entry w/(2) fobs, cruise control w/steering wheel controls
FL2	[L92] ALL SEASON RUBBER FLOOR MATS, (PIO)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 421, current as of 12/17/2013 at 19:34 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

5.6L DOHC 32-valve V8 engine
5-speed automatic transmission
Rear wheel drive
Independent strut front suspension
(8) lug solid rear axle w/multi-leaf springs & rear stabilizer bar
Pwr steering
4-wheel pwr disc brakes

EXTERIOR

17" silver-painted wheels
LT245/70R17 all-season tires
Full size spare tire & wheel
Integrated roof rack mounting points
Black exterior trim
Folding manual outside mirrors
Convex spotter mirror integrated into outside mirrors
Halogen headlights
Privacy glass for rear passenger area & back doors
Variable intermittent windshield wipers
Rear 50/50 split full access french doors

ENTERTAINMENT

AM/FM stereo w/CD player -inc: aux input, (4) speakers

INTERIOR

12-passenger seating capacity
Water repellant cloth seating surfaces
Front bucket seats w/headrests
4-way manual driver seat
4-way manual fold-down passenger seat w/seat back tray table
Underseat storage
Removable split bench seating for 2nd, 3rd, & 4th rows -inc: head restraints for all seating positions, slide-out under-seat cup holders
PVC floor covering
Manual tilt steering column
Telematics & upfitter pre-wiring
Front air conditioning w/manual controls
Rear air conditioning w/manual controls & vents for all rows
Rear window defroster
(1) 12-volt pwr outlet
Rear cargo area overhead light

SAFETY

4-wheel anti-lock braking system (ABS)
Electronic brake force distribution (EBD)
Traction control system (TCS)
Vehicle dynamic control (VDC)
Front/rear crumple zones

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 421, current as of 12/17/2013 at 19:34 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Pipe-style steel side-door guard beams (all doors)
Driver & front passenger dual stage airbags w/occupant sensor
Curtain airbags for all rows
3-point seat belts for all seating positions
Tire pressure monitoring system (TPMS)

All specifications are subject to change without notice.

carbookfleetedition




Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 421, current as of 12/17/2013 at 19:34 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:
3 Years/36,000 Miles
Drivetrain:
5 Years/60,000 Miles
Corrosion:
5 Years/Unlimited Miles



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 421, current as of 12/17/2013 at 19:34 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6777.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3727.00 lbs
Base Trim Weight - Rear	3050.00 lbs
Gross Axle Wt Rating - Front	N/A lbs
Gross Axle Wt Rating - Rear	N/A lbs
Curb Weight - Front	3727 lbs
Curb Weight - Rear	3050 lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	6777.00 lbs
As Spec'd Payload	-6777.00 lbs
Maximum Payload Capacity	-6777.00 lbs
Gross Combined Wt Rating	16000 lbs
Gross Axle Weight Rating	N/A lbs
Curb Weight	6777.00 lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	0.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs
Maximum Trailing Capacity	N/A lbs

Frame

Frame Type	Ladder
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 421, current as of 12/17/2013 at 19:34 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	Double Wishbone
Suspension Type - Rear	Solid Axle
Spring Capacity - Front	w/Coil Springs lbs
Spring Capacity - Rear	w/Rigid Leaf Springs lbs
Axle Type - Front	
Axle Type - Rear	Solid Axle
Axle Capacity - Front	
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	
Axle Ratio (:1) - Rear	3.54
Shock Absorber Diameter - Front	
Shock Absorber Diameter - Rear	
Stabilizer Bar Diameter - Front	1.38 in
Stabilizer Bar Diameter - Rear	0.71 in

Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	N/A
Rear Tire Size	N/A
Spare Tire Size	N/A
Front Tire Capacity	
Rear Tire Capacity	
Spare Tire Capacity	
Revolutions/Mile @ 45 mph - Front	
Revolutions/Mile @ 45 mph - Rear	
Revolutions/Mile @ 45 mph - Spare	

Wheels

Front Wheel Size	17 x -TBD- in
Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	17 x -TBD- in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Hydraulic Recirculating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	19.0
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	N/A ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 421, current as of 12/17/2013 at 19:34 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	N/A in
Rear Brake Rotor Diam x Thickness	N/A in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	28.0 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	
Aux Fuel Tank Location	

VEHICLE**Emissions**

Tons/yr of CO2 Emissions @ 15K mi/year	
EPA Greenhouse Gas Score	

Vehicle

Rear Door Type	N/A
----------------	-----

POWERTRAIN**Transmission**

Drivetrain	Rear Wheel Drive
Trans Order Code	
Trans Type	5
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	3.82
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.00
Fifth Gear Ratio (:1)	0.83
Reverse Ratio (:1)	2.61
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 421, current as of 12/17/2013 at 19:34 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	
Cruising Range - City	0.00 mi
EPA Fuel Economy Est - City	
Fuel Economy Est-Combined	
Cruising Range - Hwy	0.00 mi

Engine

Engine Order Code	
Engine Type	Gas V8
Displacement	5.6L/339
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	317 @ 5200
SAE Net Torque @ RPM	385 @ 3400
Engine Oil Cooler	

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	N/A

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	12
Front Head Room	N/A in
Front Leg Room	N/A in
Front Shoulder Room	N/A in
Front Hip Room	N/A in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in
Third Head Room	N/A in
Third Leg Room	N/A in
Third Shoulder Room	N/A in
Third Hip Room	N/A in
Fourth Head Room	N/A in
Fourth Leg Room	N/A in
Fourth Shoulder Room	N/A in
Fourth Hip Room	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 421, current as of 12/17/2013 at 19:34 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	146.1 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	240.6 in
Width, Max w/o mirrors	79.9 in
Height, Overall	84.9 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	28.5 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.1 in
Ground Clearance, Rear	8.1 in
Body Length	0.00 ft
Rear Door Opening Height	N/A in
Rear Door Opening Width	61.6 in
Side Door Opening Height	N/A in
Side Door Opening Width	N/A in
Step Up Height - Front	18.7 in
Step Up Height - Side	20.2 in
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	N/A in
Cargo Area Length @ Floor to Console	121.9 in
Cargo Area Length @ Floor to Seat 1	N/A in
Cargo Area Length @ Floor to Seat 2	N/A in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	70.2 in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	54.3 in
Cargo Box (Area) Height	55.8 in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Cargo Volume to Seat 1	N/A ft ³
Cargo Volume to Seat 2	N/A ft ³
Cargo Volume to Seat 3	N/A ft ³
Cargo Volume to Seat 4	N/A ft ³
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 421, current as of 12/17/2013 at 19:34 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Side Door Type

Sliding

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 421, current as of 12/17/2013 at 19:34 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.